

Pressure-sensitive adhesives Latex

Film

1.5 MIL MATTE ACETATE AP151 HCWT 4.5 MIL LF

ITEM #9951406

$\Gamma\Lambda$	○ E	ST	\sim	\sim	v
ГΑ	VΕ	OΙ	U	u	Ν

A 1.5 mil matte clear film with excellent ink receptivity and printability.

Туре

Film

Tensile MD Tensile CD 20 Lbs/in 25 Lbs/in

Elong MD 325

PROPERTIES VALUE

Caliper 1.50 Mil

REGULATORY APPROVAL

RoHS Prop65 **REACH** Yes Yes Yes **CPSIA TPCH** UL Yes Yes No

FSC No

ADHESIVE

An improved general purpose permanent rubber based adhesive which has high initial tack and high ultimate adhesion. It is recommended for high speed wide web processing and can be used on many different substrates. Displays excellent die-cutting & stripping traits.

Type Permanent	Composition Latex	

PROPERTIES	VALUE
Stainless Steel	7.5 lbs/linear in.
Glass	5.7 lbs/linear in.
Polyethylene	6,5
Corrugated	2.70 lbs./in.
Painted Metal	7.5 lbs/linear in.
Loop Tack	5.20 oz/in²

^{*}Please contact your sales representative for details

REGULATORY APPROVAL

RoHSProp65REACHYesNoYes

TPCH CPSIA Direct Food

Yes Yes No

Indirect Food

Yes

*Please contact your sales representative for details

LINER

A clay coated kraft liner which has been silicone coated one side to give a controlled release. It is designed to withstand all diecutting, margin punching, perforating, fanfolding and refolding processes. It is an excellent layflat liner.

Type 719363

Tensile MD Tensile CD

51

Tear MD Tear CD 0 100

DESCRIPTION	VALUE
Basis Weight	72
Caliper	4.6

REGULATORY APPROVAL

 RoHS
 Prop65
 REACH

 Yes
 Yes
 Yes

 TPCH
 CPSIA
 UL

 Yes
 No
 No

Direct Food

No

Last update: 02/11/2025

WARRANTY: All data obtained through ASTM standards and are typical and should not be used for specification purposes. Because of the variety of possible uses, the buyer should test the suitability of each intended use. The buyer assumes all risks in connection with such use. BEONTAG will not be liable for damages in excess of the purchase price of Products or for incidental or consequential damages.

BEONTAG warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year after the initial date of shipment (unless otherwise stated), BEONTAG shall, upon notification thereof and substantiation that the products have been stored and applied in accordance with BEONTAG'S standards, correct such defects by suitable repair or replacement without charge at BEONTAG's plant or at the location of the products (at BEONTAG's election); provided, however, if BEONTAG determines that repair or replacement is not commercially practical, BEONTAG shall issue a credit in favor of BUYER in an amount not to exceed the purchase price of the products

ADDRESS:

Beontag 6206 Wolf Creek Pike Trotwood, OH 45426 800-358-4448

orders.us@beontag.com

^{*}Please contact your sales representative for details