

## Not a Current Stock Product

Please contact our team for assistance.

Pressure-sensitive adhesives

Water based acrylic

## SSR E70N

## **ADHESIVE**

SSR E70N has very good short-term removability from a wide range of surfaces with a good adhesion to low surface energy materials.

TypeCompositionMin. Application TemperatureRemovableWater based acrylic-5 F

Min. Service Temperature Max. Application Temperature

-20 F 6

PROPERTIES VALUE

Stainless Steel 6,5N

## **REGULATORY APPROVAL**

Food contact

Meets composition requirement of indirect food additives regulation FDA 21-CRF 175-105, 176-180, 177-1010 moist non-fatty foods. Complies with FDA175.105, BfR XIV FDA 21 CFR 175.105, BfR XIV

Yes

\*Please contact your sales representative for details

WARRANTY: All data obtained through ASTM standards and are typical and should not be used for specification purposes. Because of the variety of possible uses, the buyer should test the suitability of each intended use. The buyer assumes all risks in connection with such use. BEONTAG will not be liable for damages in excess of the purchase price of Products or for incidental or consequential damages.

BEONTAG warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year after the initial date of shipment (unless otherwise stated), BEONTAG shall, upon notification thereof and substantiation that the products have been stored and applied in accordance with BEONTAG'S standards, correct such defects by suitable repair or replacement without charge at BEONTAG's plant or at the location of the products (at BEONTAG's election); provided, however, if BEONTAG determines that repair or replacement is not commercially practical, BEONTAG shall issue a credit in favor of BUYER in an amount not to exceed the purchase price of the products

ADDRESS:

Beontag 6206 Wolf Creek Pike Trotwood, OH 45426 800-358-4448 orders.us@beontag.com