Self adhesives

Paper

## FSC ScandPrint T SSP 713 HG0



## FACESTOCK

ScandPrint T is a smooth and matt, white pigmented woodfree printing paper with superior brightness, specially - designed for use in thermal transfer printers. - ScandPrint T has long lasting readability thanks to the high-definition printing performance and resistance to - scratch and smudge.

| <b>Type</b><br>Paper                              |                                       |  |
|---|---------------------------------------|--|
| PROPERTIES  | METHOD                                | VALUE  |
| Basis Weight                                      | -                                     | 85 ± 3g/m <sup>2</sup>                       |
| Caliper   | ISO 534                               | 77 ± 5µ                                      |
| Opacity   | ISO 2471                              | 90%  |
| <b>REGULATORY APPROVAL</b><br>FSC<br>Yes          |                                       |  |
| <b>BACKING</b><br>HG0 honey glassine backing allo | ows high speed conversion and consist | ent dispensing on a wide range of equipment. |
| <b>Type</b><br>Paper                              |                                       |  |
| DESCRIPTION                                       | METHOD                                | VALUE  |
| Caliper   | ISO 534                               | 49 ± 3µ                                      |
| Transparency                                      | ISO 2469                              | 50%  |

| FINAL PRODUCT                 |           |  |
|-------------------------------|-----------|--|
| DESCRIPTION                   | VALUE     |  |
| Typical Caliper               | 134 ± 10µ |  |
| Format<br>Roll<br>Certificate |           |  |

The product is registered to SAI-COC-010567 FSC ™ Mix credit.

## Regulations

Food Packaging Applications: The adhesive raw materials are listed under European/US food packaging regulations (BgVV XIV or FDA 21 175.105) and are safe for use in limited contact with foodstuffs. Toy and Packaging Regulations: The materials used have been tested and comply with the current heavy metals regulations EN71-3 Safety of Toys and the UK Packaging (Essential Requirements) Regulations 1998.

## **Material Shelf Life**

12 months stored at 20°C/50% RH

**sku** F115000H0N000

Replaces all previous information.

Last update: 01/05/2024

1. All information, recommendations and descriptions of our Products are based on research, tests and data believed to be reliable and as such they must be considered as a guide and not as a guarantee nor a warranty. 2. Tests must be conducted by the customer to determine suitability of the products for their purposes and/or ambient, in any application and condition. 3. This document is valid only as information and can be revised without notice. For values and other technical product specifications, contact our Sales or Technical Department.

ADDRESS: Beontag Pål Anders väg 4, 263 35 Höganäs, Sweden +46 42 25 00 50 <u>orders.scandstick@beontag.com</u>